

Bibliography

Recovery Roles For People Using Services, Family Members, Direct Service Providers, Psychiatrists, Mental Health Administrators And Support Staff

- 1) Ahern, L., and Fisher, D. (2000). Recovery at your own PACE. *National Empowerment Center Newsletter*, 1-4 & 7.
- 2) Anthony, W.A. (1993). Recovery from mental illness. The guiding vision of the mental health service system in the 1990s. *Psychiatric Rehabilitation Services*, 16(4), 11-23.
- 3) Anthony, W.A. (2000). A Recovery-Oriented Service System: Setting Some System Level Standards. *Psychiatric Rehabilitation Journal*, 24(2), 159-168.
- 4) Amenson, C. Recovery for families. *The JOURNAL*. 11 (2), 68-71.
- 4a) Backer, T. Psychiatric rehabilitation: Competencies for mental health workers. Los Angeles: Human Interaction Research Institute.
- 5) Blyler, C. New hope for coping with schizophrenia in the decade of recovery. *The JOURNAL*. 11 (2), 72-74.
- 6) Boltz, S. & Kmetz, K. (1998). CASRA Training Module: The helping relationship. Oakland: CASRA training conference.
- 7) Contra Costa County Mental Health Recovery Task Force (2000). *The recovery model: a conceptual Framework and implementation plan*.
- 8) Carney, J. (199_). Client engagement and the collaborative relationships. Unpublished paper distributed at Case Management Institute, IAPSRS.
- 10) Center for Mental Health Services (2000). National congress for Hispanic mental health, creating a vision for the 21st century: summary of congress proceedings. Washington, D.C.: CMHS
- 11) Center for Mental Health Services (1998). Meeting summary: consumers and psychologists: A Dialogue. Washington, D.C.: CMHS.
- 12) Center for Mental Health Services (1997). Meeting summary: consumers and psychiatrists in dialogue. Arlington, VA: CMHS.

- 13) Center for Mental Health Services (1999). Meeting summary: consumers and psychiatric-mental health nurses in dialogue. Washington, D.C.: CMHS.
- 15) Copeland, M. (1997). *Wellness recovery action plan*. U.S.: Peach Press.
- 16) Copeland, M. & Mead, S. (2000). What recovery means to us: Consumers' perspectives. *Community Mental Health Journal*, 36(3), 3165-328.
- 16a) Coursey, R., et al. (2000). Competencies for direct service staff members who work with adults with severe mental illnesses in outpatient public mental health/managed care systems. *Psychiatric Rehabilitation Journal*, 23(4), 370-377.
- 16b) Coursey, R., et al. (2000). Competencies for direct service staff members who work with adults with severe mental illnesses: specific knowledge, attitudes, attitudes, skills, and bibliography. *Psychiatric Rehabilitation Journal*, 23(4), 378-392.
- 16c) Curtis, L. (1993). Workforce competencies for direct service staff to support adults with psychiatric disabilities in community mental health services. Burlington, Vermont: Center for Community Change through Housing and Support.
- 16d) Curtis, L. & Hodge, M. (1994). Old Standards, New Dilemmas: Ethics and Boundaries in Community Support Services. In Introduction to Psychiatric Rehabilitation, _____: IAPSRs.
- 17) Deegan, P. 2 (1999) Reclaiming your power during medication appointments with your psychiatrist. [Nat'l Empowerment Center newsletter - check reference]
- 18) Deegan, P. 1 (1994). Recovery: The lived experience of rehabilitation. In Spaniol, L. & Koehler, M., eds. *The experience of recovery*. Boston: Boston University, Center for Psychiatric Rehabilitation, 54-59
- 19) Drake, R.E. (2000). Introduction to a special services series on recovery. *Community Mental Health Journal* 36(2), 207-208.
- 19a) Drake, R.E., Bond, G.R., and Torrey, W. C. (2000). Psychiatry and Rehabilitation. *Community Mental Health Journal*, 36(6), 617-619.
- 20) Fisher, D. (1997). A new vision of recovery: people can fully recover from mental illness, it is not a life-long process. Lawrence, MA: National Empowerment Center.

- 21) Gottlieb, H. (2000). Patient Care: Medication nonadherence: finding solutions to a costly medical problem. *Drug Benefit Trends*, June, 57-62.
- 22) Guarnaccia, P. Multicultural families' experiences of caregiving. *The JOURNAL*. 11 (2), 54-56.
- 23) Haj-Yahia, M. (1997). Culturally Sensitive Supervision of Arab Social Work Students in Western Universities. *Social Work*, 42(2), 166-174.
- 23a) Hurley, J. (2000). Collaboration Between Mutual-Help Recovery Networks and Professional Mental Health Programs: The Wellness Recovery Center Approach. *International Journal of Self Help & Self Care* 2 (2), 197-200.
- 23b) Hurley, Jim. (1999). Principles of Engagement. Stanislaus County Mental Health.
- 24) Jacobson, N. (1998). Policy and Programming: How states are implementing the recovery model. A report prepared for the State of Wisconsin Blue Ribbon Commission, Recovery and Consumer-Family Involvement Workgroup.
- 25) Jacobson, N., and Curtis, L. (2000). Recovery as policy in mental health services: strategies emerging from the states. *Psychiatric Rehabilitation Journal*, 23(4), 333-341.
- 25a) Jacobson, N., & Greenley, D. (2001). What is Recovery? A Conceptual Model and Explication. *Psychiatric Services* 52 (4), 482-485.
- 26) Johnson, D. Family Role in Recovery. *The JOURNAL*. 11 (2), 75-76.
- 26a) Kalinowski, C. (1992). Services on the Client's Terms: Experiences at Stanislaus Integrated Services Agency. Proceedings of U.C. Davis Annual Midwinter Program in Continuing Education for Psychiatrists.
- 26b) Kisthardt, W. (2001). The Strengths Perspective in Interpersonal Helping: Purpose, Principles and Functions. In Saleebey, E., Ed., *The Strengths Perspective in Social Work Practice*. New York: Longman.
- 27) Kruger, A. (2000). Schizophrenia: recovery and hope. *Psychiatric Rehabilitation Journal*, 24(1), 29-37.
- 28) Landeen, J., Pawlick, J., Woodside, H., Kirkpatrick, H. & Byrne, C. (2000). Hope, quality of life, and symptom severity in individuals with schizophrenia. *Psychiatric Rehabilitation Journal* 23(4), 364-369.

- 29) Legley, H. (1998). Training professionals for rehabilitation teams. In Corrigan, P. & Giffort, D. *Building teams and programs for effective psychiatric rehabilitation. New directions for mental health services*, 79, San Francisco: Jossey-Bass Publishers, 65-77.
- 30) Lehman, A.S (2000). Putting recovery into practice: a commentary on “what recovery means to us.” *Community Mental Health Journal*, 36(3), 329-331.
- 31) Long, Amy. (2000). A psychiatric and therapist just aren't enough. *National Empowerment Center Newsletter*, summer/fall, 2000, 5.
- 32) Markowitz, F.E., DeMasi, M.E., Carpinello, S.E., Knight, E.L., Videka-Sherman, L., and Sofka, C. (1996). The role of self-help in the recovery process. Paper presented at the 6th Annual National Conference on State Mental Health Agency Services Research and Program evaluation, Arlington, VS.
- 33) McCabe, S. & Unzicker, R. (19) Changing roles of consumer/survivors in mature mental health systems. In _____ *Maturing Mental Health Systems*. , 61-73.
- 34) McQuiston, H.L., Goisman, R.M., and Tennison, C.R. (2000). Psychosocial Rehabilitation: Issues and Answers for Psychiatry. *Community Mental Health Journal*, 36(6), 605-619.
- 34a) Mock, M. (2001). From illness to wellness: appreciating our cultural perspectives. *The Journal*, 11(4), 13-16.
- 35) Neese-Todd, S. Person centered practices in psychosocial rehabilitation. In Hughes, R., & Weinstein, D. (2000), *Best practices in psychosocial rehabilitation*. Washington, D.C.: IAPSR.
- 36) Minkoff, K. Training clinicians to provide hope. *Community Support Network News* 13 (1), 1, 4-6.
- 37) NASMHPD Medical Directors Council. (1999). Recovery. 1999 best practices symposium proceedings.
- 38) Ohio Department of Mental Health Office of Program Evaluation & Research. (1999). Toward best practices: top ten findings from the longitudinal consumer outcomes study 1999. Columbus, Ohio: Ohio Department of Mental Health.
- 39) Ragins, M. Recovery: changing from a medical model to a psychosocial rehabilitation mode. *The JOURNAL* 5(3),

- 40a) Ragins, M. (1998). Sewing a mental illness recovery banner, unpublished article.
- 40aa) Ralph, R. (2000). Review of Recovery Literature: A Synthesis of a Sample of Recovery Literature. National Technical Assistance Center for State Mental Health Planning.
- 40b) Rapp, C. (1998). *The Strengths Model*. New York: Oxford University Press.
- 40) Ridgway, P. (1998). The emerging recovery paradigm, Kansas: University of Kansas, School of Social Welfare.
- 41) Risser, P. Letting go. Handout for presentations on recovery.
- 42) Russinova, Z. (1998) Promoting recovery from serious mental illness through hope-inspiring strategies. *Community Support Network News* 13 (1), 1, 4-6.
- 43) Smith, M.K. (2000). Recovery from a severe psychiatric disability: findings of a qualitative study. *Psychiatric Rehabilitation Journal*, 24(2), 149-158.
- 44) Solomon, P., Draine, J. (1998). Consumers as providers in psychiatric rehabilitation. In Corrigan, P. & Giffort, D. *Building Teams and Programs for Effective Psychiatric Rehabilitation. New Directions for Mental Health Services*, 79, San Francisco: Jossey-Bass Publishers, 65-77.
- 45) Spaniol, L. & Koehler, M., eds., 1994. *The Experience of Recovery*. Boston: Boston University, Center for Psychiatric Rehabilitation.
- 46) Spaniol, L., Koehler, M. & Hutchinson, D. () *The Recovery Workbook*. Boston: Boston University, Center for Psychiatric Rehabilitation.
- 47) Spaniol, L., Zipple, A., Marsh, D., Finley, L., Eds. (2000). *The role of the family in psychiatric rehabilitation: a workbook*. Boston, MA: Center for Psychiatric Rehabilitation.
- 48) Statewide Wellness and Recovery Task Force (2000). Notes from recovery focus groups in four counties, including: consumers, family members, administrators, support staff, inpatient staff and direct service/front-line staff.
- 49) Statewide Wellness and Recovery Task Force (2000). Feedback to first draft of Roles for Partners in Recovery as identified in focus groups in four California counties and a review of the literature.

- 50) Teague, G. (1997). The role of collaborative relationships in services for people with serious mental illness. Washington, DC: Poster presented at the NIMH conference Improving the condition of people with mental illness: the role of services research.
- 51) Torrey, W.C., and Wyzik, P. (2000). The recovery vision as a service improvement guide for community mental health center providers. *Community Mental Health Journal*, 36(2), 209-216.
- 52) Townsend, W., Boyd, S., & Griffin, G. & Hicks, P. (2000). *Emerging best practices in mental health recovery*. Columbus, Ohio: Ohio Department of Mental Health.
- 53) Unzicker, R. On my own: A personal journey through madness and re-emergence. In Spaniol, L., Koehler, M. & Hutchinson, D. *The Recovery Workbook*. Boston: Boston University, Center for Psychiatric Rehabilitation, 60-63.
- 53a) Weinstein, D. (2000). Practitioner competencies. In Hughes, R., & Weinstein, D. eds. *Best Practices in Psychosocial Rehabilitation*. Maryland: IAPSRS.
- 54) Western Interstate Commission for Higher Education Mental Health Program. (1998). Cultural competence standards in managed care mental health services for four underserved/underrepresented racial/ethnic groups. Prepared for the Center for Mental Health Services of the U.S. Department of Health and Human Service, under Purchase Order No. 97MO4762401D.
- 55) Young, S.L., and Ensing, D.S. (1999). Exploring recovery from the perspective of people with psychiatric disabilities. *Psychiatric Rehabilitation Journal*, 22(3), 219-231.